

ELECTRO SURGICAL INSTRUMENTS

CE
0120

All designs are registered & patented internationally.



NON STICK FORCEPS

100% SILVER ALLOY

100% EPOXY FREE

100% WATERPROOF

Available in all sizes and shapes.

PHEASANT.

www.pheasantsurgical.com

NEW FLAMINGO DESIGN

THE UNIT OF DESIGN & MANUFACTURING OF ELECTRO SURGICAL INSTRUMENTS.

Profile & Contents

We offer

European & American. Reusable & disposable.
Bipolar Forceps, Mono polar Forceps,
Non-Stick forceps, Irrigation forceps,
Hand switch forceps, Silicon cables,
Laparoscopic hooks, ESU pencils,
Electrodes and Gynecology instruments.

All our instruments bear the ce 0120
marking in conformity with the
european directive 93/42/EEC.
Sterile and non sterile
packed under clean room condition
ISO-class-8~fs 209 class 100,000.

Our new flamingo Design series
exclusively available.

Customers with
new design and ideas
or custom type instruments
can make contact with us.
(info@pheasantsurgical.com)




BIPOLAR FORCEPS
EUROPEAN TYPE
(Reusable)



BIPOLAR FORCEPS
EUROPEAN TYPE
(Reusable)



BIPOLAR FORCEPS
EUROPEAN TYPE
(Disposable)



BIPOLAR FORCEPS
EUROPEAN TYPE
(Disposable)



BIPOLAR FORCEPS
AMERICAN TYPE
(Reusable)



BIPOLAR FORCEPS
AMERICAN TYPE
(Reusable)



BIPOLAR FORCEPS
AMERICAN TYPE
(Disposable)



BIPOLAR FORCEPS
AMERICAN TYPE
(Disposable)



MONO POLAR FORCEPS
(Reusable)



MONO POLAR FORCEPS
(Disposable)


CE
0120

All designs are registered & patented internationally.



PHEASANT

BIPOLAR FORCEPS EUROPEAN TYPE (Reusable)



NEW FLAMINGO DESIGN

	Name	Code	Size	Tip size (mm)
 Straight Point	Straight Forcep	F101/R	8 cm	0.25 / 0.5 / 0.7 / 1.0
	Straight Forcep	F103/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F105/R	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F107/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F109/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F111/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F113/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F115/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Straight A/D	F104/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F106/R	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F108/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F110/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F112/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F114/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F116/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0


CE
0120

All designs are registered & patented internationally.



PHEASANT

BIPOLAR FORCEPS EUROPEAN TYPE (Reusable)



NEW FLAMINGO DESIGN

	Name	Code	Size	Tip size (mm)
 Straight Point	Bayonet Forceps	F121/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F124/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F127/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F130/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F133/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F136/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Bayonet A/D	F122/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F125/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F128/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F131/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F134/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F137/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Up	Bayonet A/U	F123/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F126/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F129/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F132/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F135/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F138/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0


CE
0120

All designs are registered & patented internationally.



PHEASANT

BIPOLAR FORCEPS EUROPEAN TYPE
(Non Stick Reusable)



available tip size in mm

NEW FLAMINGO DESIGN

All sizes, shapes and angles are available in Non Stick form. Use extension *RNS* to the end of the any regular forceps code.


CE
0120

All designs are registered & patented internationally.

PHEASANT.

BIPOLAR FORCEPS EUROPEAN TYPE (Disposable)

.25 0.5 0.7 1.0 1.2 1.5 2.0



available tip size in mm

NEW FLAMINGO DESIGN


	Name	Code	Size	Tip size (mm)
 Straight Point	Straight Forcep	F101/D	8 cm	0.25 / 0.5 / 0.7 / 1.0
	Straight Forcep	F103/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F105/D	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F107/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F109/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F111/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F113/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F115/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Straight A/D	F104/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F106/D	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F108/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F110/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F112/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F114/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F116/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0

CE
0120

All designs are registered & patented internationally.

PHEASANT.

BIPOLAR FORCEPS EUROPEAN TYPE (Disposable)



Copyright © 2016. Pheasant surgical corporation® All rights reserved.

NEW FLAMINGO DESIGN


	Name	Code	Size	Tip size (mm)
 Straight Point	Bayonet Forceps	F121/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F124/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F127/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F130/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F133/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F136/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Bayonet A/D	F122/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F125/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F128/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F131/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F134/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F137/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Up	Bayonet A/U	F123/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F126/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F129/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F132/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F135/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F138/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0

CE
0120

All designs are registered & patented internationally.

PHEASANT.

BIPOLAR FORCEPS AMERICAN TYPE (Reusable)



NEW FLAMINGO DESIGN

	Name	Code	Size	Tip size (mm)
 Straight Point	Straight Forcep	F251/R	8 cm	0.25 / 0.5 / 0.7 / 1.0
	Straight Forcep	F253/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F255/R	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F257/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F259/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F261/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F263/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F265/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Straight A/D	F254/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F256/R	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F258/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F260/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F262/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F264/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F266/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0


CE
0120

All designs are registered & patented internationally.



PHEASANT

BIPOLAR FORCEPS AMERICAN TYPE (Reusable)



NEW FLAMINGO DESIGN

	Name	Code	Size	Tip size (mm)
 Straight Point	Bayonet Forceps	F271/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F274/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F277/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F280/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F283/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F286/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Bayonet A/D	F272/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F275/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F278/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F281/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F284/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F287/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Up	Bayonet A/U	F273/R	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F276/R	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F279/R	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F282/R	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F285/R	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F288/R	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0


CE
0120

All designs are registered & patented internationally.



PHEASANT

BIPOLAR FORCEPS AMERICAN TYPE (Disposable)



NEW FLAMINGO DESIGN


	Name	Code	Size	Tip size (mm)
 Straight Point	Straight Forcep	F251/D	8 cm	0.25 / 0.5 / 0.7 / 1.0
	Straight Forcep	F253/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F255/D	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F257/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F259/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F261/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F263/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight Forcep	F265/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Straight A/D	F254/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F256/D	15 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F258/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F260/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F262/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F264/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Straight A/D	F266/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0

CE
0120

All designs are registered & patented internationally.

PHEASANT.

BIPOLAR FORCEPS AMERICAN TYPE (Disposable)



Copyright © 2016. Pheasant surgical corporation® All rights reserved.

NEW FLAMINGO DESIGN


	Name	Code	Size	Tip size (mm)
 Straight Point	Bayonet Forceps	F271/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F274/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F277/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F280/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F283/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet Forceps	F286/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Down	Bayonet A/D	F272/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F275/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F278/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F281/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F284/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/D	F287/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
 Angle Up	Bayonet A/U	F273/D	12 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F276/D	16 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F279/D	18 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F282/D	20 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F285/D	22 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0
	Bayonet A/U	F288/D	25 cm	0.25 / 0.5 / 0.7 / 1.0 / 1.5 / 2.0

CE
0120

All designs are registered & patented internationally.

PHEASANT

MONOPOLAR FORCEPS AMERICAN TYPE (Reusable)



available tip size in mm



Straight
Point

NEW FLAMINGO DESIGN

Name	Code	Size	Tip size (mm)
McIndoe Forcep	F313/R	15 cm	1.0 / 1.5 / 2.0
Straight Standard	F301/R	12 cm	1.0 / 1.5 / 2.0
Straight Standard	F303/R	15 cm	1.0 / 1.5 / 2.0
Straight Standard	F305/R	18 cm	1.0 / 1.5 / 2.0
Straight Standard	F307/R	20 cm	1.0 / 1.5 / 2.0
Straight Standard	F309/R	22 cm	1.0 / 1.5 / 2.0
Straight Standard	F311/R	25 cm	1.0 / 1.5 / 2.0

CE
0120

All designs are registered & patented internationally.



PHEASANT

MONOPOLAR FORCEPS AMERICAN TYPE
(Disposable)



available tip size in mm

NEW FLAMINGO DESIGN



Straight
Point

Name	Code	Size	Tip size (mm)
McIndoe Forcep	F313/D	15 cm	1.0 / 1.5 / 2.0
Straight Standard	F301/D	12 cm	1.0 / 1.5 / 2.0
Straight Standard	F303/D	15 cm	1.0 / 1.5 / 2.0
Straight Standard	F305/D	18 cm	1.0 / 1.5 / 2.0
Straight Standard	F307/D	20 cm	1.0 / 1.5 / 2.0
Straight Standard	F309/D	22 cm	1.0 / 1.5 / 2.0
Straight Standard	F311/D	25 cm	1.0 / 1.5 / 2.0

Wholesale Instruments Manufacturers with Great OEM & ODM Capability.



All designs are registered & patented internationally.



PHEASANT SURGICAL CORPORATION.
P.O.Box 2787 Nai abadi murad pur.
51310 Sialkot-Pakistan
Tel: +92 524 260975
Fax: +92 524 268115
Email: info@pheasantsurgical.com
www.pheasantsurgical.com

Copyright © 2016. Pheasant surgical corporation® All rights reserved.



GB09/76877

GB09/76878

GB09/76879



CE
0120